



# BELLART SURFACE

The Moodsetter.

## PRODUCT DESCRIPTION

<b>MOUNTING</b>	SURFACE
<b>LIGHT SOURCE</b>	LED
<b>LIGHT DISTRIBUTION</b>	DIRECT
<b>MATERIALS</b>	ALUMINIUM

Slim and understated or muscular and bold, the tubular BELLART embodies versatility. With its contemporary finish and endless specification options, the BELLART Surface Mounted will make an impact and enhance any residential or commercial interior.

Featuring low to high lumen packages, narrow to wide beam angles and a range of accessories, the BELLART gives interior designers a true freedom.

The BELLART Surface Mounted is ideal as a contemporary accent lighting across many commercial applications. Use it in small meeting pods, above a reception desk, in hotel and retail environment.

## PRODUCT CODE

BELLART SURFACE		
L (mm)	Bellart Surface Ø55	
180mm	LED 6W / 760 lm	33-FZ*-F1-55x180-9**-* <sup>-0</sup> *
	LED 9W / 1030 lm	33-FZ*-F2-55x180-9**-* <sup>-0</sup> *
260mm	LED 6W / 760 lm	33-FZ*-F1-55x260-9**-* <sup>-0</sup> *
	LED 9W / 1030 lm	33-FZ*-F2-55x260-9**-* <sup>-0</sup> *
340mm	LED 6W / 760 lm	33-FZ*-F1-55x340-9**-* <sup>-0</sup> *
	LED 9W / 1030 lm	33-FZ*-F2-55x340-9**-* <sup>-0</sup> *

180 mm  
OR  
260 mm  
Ø 55 mm

\* Luminous Flux taken with 4000K

ACCESSORY	
Honeycomb Module	
LED 6 / 9W	33-C5F1

\* Optical Filters available

BEAM ANGLE	
	20°
	36°
	60°

20°	33-FZ2-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> *
36°	33-FZ3-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> *
60°	33-FZ6-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> *

COLOUR TEMPERATURE	
3000K	4000K
3000K	33-FZ*-F*-55x** <sup>-9</sup> 30-* <sup>-0</sup> *
4000K	33-FZ*-F*-55x** <sup>-9</sup> 40-* <sup>-0</sup> *

\*2700K on request

CONTROL	
NON DIM	EDGE CUT DIM
NON DIM	NON DIM
DALI DIM	DALI DIM

NON DIM	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-K</sup> -0*
E. CUT DIM	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-P</sup> -0*
DALI DIM	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-J</sup> -0*

FINISH	
WHITE	BLACK
COPPER	GRAPHITE
GOLD	GREY

WHITE	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> -C
BLACK	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> -D
COPPER	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> -H
GRAPHITE	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> -G
GOLD	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> -F
GREY	33-FZ*-F*-55x** <sup>-9</sup> **-* <sup>-0</sup> -B

\* Front ring is supplied in black for the following: Copper, Gold and Graphite





# BELLART SURFACE

The Moodsetter.

## PRODUCT DESCRIPTION

<b>MOUNTING</b>	SURFACE
<b>LIGHT SOURCE</b>	LED
<b>LIGHT DISTRIBUTION</b>	DIRECT
<b>MATERIALS</b>	ALUMINIUM

Slim and understated or muscular and bold, the tubular BELLART embodies versatility. With its contemporary finish and endless specification options, the BELLART Surface Mounted will make an impact and enhance any residential or commercial interior.


Featuring low to high lumen packages, narrow to wide beam angles and a range of accessories, the BELLART gives interior designers a true freedom.

The BELLART Surface Mounted is ideal as a contemporary accent lighting across many commercial applications. Use it in small meeting pods, above a reception desk, in hotel and retail environment.

## PRODUCT CODE

BELLART SURFACE		
L (mm)	Bellart Surface Ø90	
260mm	LED 12W / 1500 lm	33-FZ*-F1-90x260-***-*-0-*
	LED 12.5W / 1500 lm	33-FZ*-F2-90x260-***-*-0-*
	LED 17.5W / 2000 lm	33-FZ*-F3-90x260-***-*-0-*
350mm	LED 12.5W / 1500 lm	33-FZ*-F1-90x350-***-*-0-*
	LED 17.5W / 2000 lm	33-FZ*-F2-90x350-***-*-0-*
	LED 33W / 4000 lm	33-FZ*-F3-90x350-***-*-0-*

\* Luminous Flux taken with 4000K



BEAM ANGLE	
15°	36°
60°	

20°	33-FZ*-F*-90x**-9**-*0-*
36°	33-FZ3-F*-90x**-9**-*0-*
60°	33-FZ6-F*-90x**-9**-*0-*

CRI	
90	80

90	33-FZ*-F*-90X**-9**-*0-*
80	33-FZ*-F*-90X**-8**-*0-*

COLOUR TEMPERATURE	
3000K	4000K

3000K	33-FZ*-F*-90x**-930-*0-*
4000K	33-FZ*-F*-90x**-940-*0-*

\*2700K on request

CONTROL	
NON DIM	DALI DIM
NON DIM	
DALI DIM	

NON DIM	33-FZ*-F*-90x**-9**-*K-0-*
E. CUT DIM	33-FZ*-F*-90x**-9**-*P-0-*
DALI DIM	33-FZ*-F*-90x**-9**-*J-0-*

FINISH	
WHITE	BLACK
COPPER	GRAPHITE
GOLD	GREY

WHITE	33-FZ*-F*-90x**-9**-*0-C
BLACK	33-FZ*-F*-90x**-9**-*0-D
COPPER	33-FZ*-F*-90x**-9**-*0-H
GRAPHITE	33-FZ*-F*-90x**-9**-*0-G
GOLD	33-FZ*-F*-90x**-9**-*0-F
GREY	33-FZ*-F*-90x**-9**-*0-B

\* Front ring is supplied in black for the following: Copper, Gold and Graphite

ACCESSORY	
Honeycomb Module	
LED 6 / 9W	33-C5F2

\* Optical Filters available



# BELLART SURFACE

The Moodsetter.

## PRODUCT DESCRIPTION

<b>MOUNTING</b>	SURFACE
<b>LIGHT SOURCE</b>	LED
<b>LIGHT DISTRIBUTION</b>	DIRECT
<b>MATERIALS</b>	ALUMINIUM

Slim and understated or muscular and bold, the tubular BELLART embodies versatility. With its contemporary finish and endless specification options, the BELLART Surface Mounted will make an impact and enhance any residential or commercial interior.

Featuring low to high lumen packages, narrow to wide beam angles and a range of accessories, the BELLART gives interior designers a true freedom.

The BELLART Surface Mounted is ideal as a contemporary accent lighting across many commercial applications. Use it in small meeting pods, above a reception desk, in hotel and retail environment.

## PRODUCT CODE

BELLART SURFACE		
L (mm)	Bellart Surface Ø120	
180mm	LED 12W / 1500 lm	33-FZ <sup>1</sup> -F1-120x180-***- <sup>1</sup> -0-*
	LED 17.5W / 2000 lm	33-FZ <sup>2</sup> -F2-120x180-***- <sup>2</sup> -0-*
350mm	LED 12W / 1500 lm	33-FZ <sup>1</sup> -F1-120x350-***- <sup>1</sup> -0-*
	LED 17.5W / 2000 lm	33-FZ <sup>2</sup> -F2-120x350-***- <sup>2</sup> -0-*
	LED 33W / 4000 lm	33-FZ <sup>3</sup> -F3-120x350-***- <sup>3</sup> -0-*
500mm	LED 12W / 1500 lm	33-FZ <sup>1</sup> -F1-120x500-***- <sup>1</sup> -0-*
	LED 17.5W / 2000 lm	33-FZ <sup>2</sup> -F2-120x500-***- <sup>2</sup> -0-*
	LED 33W / 4000 lm	33-FZ <sup>3</sup> -F3-120x500-***- <sup>3</sup> -0-*
	LED 37W / 5000 lm	33-FZ <sup>4</sup> -F4-120x500-***- <sup>4</sup> -0-*

\* Luminous Flux taken with 4000K

BEAM ANGLE	

15°	33-FZ <sup>1</sup> -F <sup>1</sup> -120x**-***- <sup>1</sup> -0-*
36°	33-FZ <sup>3</sup> -F <sup>3</sup> -120x**-***- <sup>3</sup> -0-*
60°	33-FZ <sup>6</sup> -F <sup>6</sup> -120x**-***- <sup>6</sup> -0-*

CRI	

90	33-FZ <sup>1</sup> -F <sup>1</sup> -120X**- <sup>9</sup> -0-*
80	33-FZ <sup>2</sup> -F <sup>2</sup> -120X**- <sup>8</sup> -0-*

COLOUR TEMPERATURE	

3000K	33-FZ <sup>1</sup> -F <sup>1</sup> -120x**- <sup>3</sup> 0- <sup>0</sup> -*
4000K	33-FZ <sup>2</sup> -F <sup>2</sup> -120x**- <sup>4</sup> 0- <sup>0</sup> -*

CONTROL	

NON DIM	33-FZ <sup>1</sup> -F <sup>1</sup> -120x**-***- <sup>K</sup> -0-*
E. CUT DIM	33-FZ <sup>2</sup> -F <sup>2</sup> -120x**-***- <sup>J</sup> -0-*
DALI DIM	33-FZ <sup>3</sup> -F <sup>3</sup> -120x**-***- <sup>M</sup> -0-*

FINISH	

WHITE	33-FZ <sup>1</sup> -F <sup>1</sup> -120x**-***- <sup>0</sup> -0-C
BLACK	33-FZ <sup>2</sup> -F <sup>2</sup> -120x**-***- <sup>0</sup> -0-D
COPPER	33-FZ <sup>3</sup> -F <sup>3</sup> --120x**-***- <sup>0</sup> -0-H
GRAPHITE	33-FZ <sup>4</sup> -F <sup>4</sup> --120x**-***- <sup>0</sup> -0-G
GOLD	33-FZ <sup>5</sup> -F <sup>5</sup> --120x**-***- <sup>0</sup> -0-F
GREY	33-FZ <sup>6</sup> -F <sup>6</sup> --120x**-***- <sup>0</sup> -0-B

\* Front ring is supplied in black for the following: Copper, Gold and Graphite

ACCESSORY	
Honeycomb Module	
LED 6 / 9W	33-C5F3

\* Optical Filters available

