



BELLART SUSPENDED

The Moodsetter.

PRODUCT DESCRIPTION

MOUNTING	SUSPENDED
LIGHT SOURCE	LED
LIGHT DISTRIBUTION	DIRECT
MATERIALS	ALUMINIUM

Slim and understated or muscular and bold, the tubular BELLART embodies versatility. With its contemporary finish and endless specification options, the BELLART Surface Mounted will make an impact and enhance any residential or commercial interior.

Featuring low to high lumen packages, narrow to wide beam angles and a range of accessories, the BELLART gives interior designers a true freedom.


The BELLART suspended is ideal as a contemporary accent lighting across many commercial applications. Use it in small meeting pods, above a reception desk, in hotel and retail environment.

PRODUCT CODE

BELLART SUSPENDED

L (mm)	Bellart Suspended Ø55	
180mm	LED 6W / 760 lm	33-EZ*-F1-55x180-9**-* 0 -*
	LED 9W / 1030 lm	33-EZ*-F2-55x180-9**-* 0 -*
260mm	LED 6W / 760 lm	33-EZ*-F1-55x260-9**-* 0 -*
	LED 9W / 1030 lm	33-EZ*-F2-55x260-9**-* 0 -*
350mm	LED 6W / 760 lm	33-EZ*-F1-55x350-9**-* 0 -*
	LED 9W / 1030 lm	33-EZ*-F2-55x350-9**-* 0 -*

* Luminous Flux taken with 4000K



BEAM ANGLE

		20 °	33-EZ2-F*-55x** -9** -* 0 -*
		36 °	33-EZ3-F*-55x** -9** -* 0 -*
		60 °	33-EZ6-F*-55x** -9** -* 0 -*

COLOUR TEMPERATURE

		3000K	33-EZ*-F*-55x** -930 -* 0 -*
		4000K	33-EZ*-F*-55x** -940 -* 0 -*

*2700K on request

CONTROL

		NON DIM	33-EZ*-F*-55x** -9** -* K0 -*
		E. CUT DIM	33-EZ*-F*-55x** -9** -* P0 -*
		DALI DIM	33-EZ*-F*-55x** -9** -* J0 -*

FINISH

		WHITE	33-EZ*-F*-55x** -9** -* 0 - C
		BLACK	33-EZ*-F*-55x** -9** -* 0 - D
		COPPER	33-EZ*-F*-55x** -9** -* 0 - H
		GRAPHITE	33-EZ*-F*-55x** -9** -* 0 - G
		GOLD	33-EZ*-F*-55x** -9** -* 0 - F
		GREY	33-EZ*-F*-55x** -9** -* 0 - B

* Front ring is supplied in black for the following: Copper, Gold and Graphite

ACCESSORY

Honeycomb Module	
LED 6 / 9W	33-C5F1

* Optical Filters available | Suspension cable colours on request





BELLART SUSPENDED

The Moodsetter.

PRODUCT DESCRIPTION

MOUNTING	SUSPENDED
LIGHT SOURCE	LED
LIGHT DISTRIBUTION	DIRECT
MATERIALS	ALUMINIUM

Slim and understated or muscular and bold, the tubular BELLART embodies versatility. With its contemporary finish and endless specification options, the BELLART Surface Mounted will make an impact and enhance any residential or commercial interior.


Featuring low to high lumen packages, narrow to wide beam angles and a range of accessories, the BELLART gives interior designers a true freedom.

The BELLART suspended is ideal as a contemporary accent lighting across many commercial applications. Use it in small meeting pods, above a reception desk, in hotel and retail environment.

PRODUCT CODE

BELLART SUSPENDED			
L (mm)	Bellart Suspended Ø90		
250mm	LED	12.5W / 1500 lm	33-EZ*-F1-90x250-***-*-0-*
	LED	17.5W / 2000 lm	33-EZ*-F2-90x250-***-*-0-*
350mm	LED	12.5W / 1500 lm	33-EZ*-F1-90x350-***-*-0-*
	LED	17.5W / 2000 lm	33-EZ*-F2-90x350-***-*-0-*
	LED	21W / 2000 lm	33-EZ*-F3-90x350-***-*-0-*
	LED	33W / 4000 lm	33-EZ*-F4-90x350-***-*-0-*

* Luminous Flux taken with 4000K



ACCESSORY	
Honeycomb Module	33-C5F2
LED 6 / 9W	

* Optical Filters available | Suspension cable colours on request

BEAM ANGLE	
15°	33-EZ1-F*-90x**-*0-*
36°	33-EZ3-F*-90x**-*0-*
60°	33-EZ6-F*-90x**-*0-*

CRI	
90	33-EZ*-F*-90x**-*9**-*0-*
80	33-EZ*-F*-90x**-*8**-*0-*

COLOUR TEMPERATURE	
3000K	33-EZ*-F*-90x**-*30-*0-*
4000K	33-EZ*-F*-90x**-*40-*0-*

*2700K on request

CONTROL	
NON DIM	33-EZ*-F*-90x**-*K-0-*
EDGE CUT DIM	33-EZ*-F*-90x**-*P-0-*
DALI DIM	33-EZ*-F*-90x**-*J-0-*

FINISH	
WHITE	33-EZ*-F*-90x**-*0-C
BLACK	33-EZ*-F*-90x**-*0-D
COPPER	33-EZ*-F*-90x**-*0-H
GRAPHITE	33-EZ*-F*-90x**-*0-G
GOLD	33-EZ*-F*-90x**-*0-F
GREY	33-EZ*-F*-90x**-*0-B

* Front ring is supplied in black for the following: Copper, Gold and Graphite





BELLART SUSPENDED

The Moodsetter.

PRODUCT DESCRIPTION

MOUNTING	SUSPENDED
LIGHT SOURCE	LED
LIGHT DISTRIBUTION	DIRECT
MATERIALS	ALUMINIUM

Slim and understated or muscular and bold, the tubular BELLART embodies versatility. With its contemporary finish and endless specification options, the BELLART Surface Mounted will make an impact and enhance any residential or commercial interior.

Featuring low to high lumen packages, narrow to wide beam angles and a range of accessories, the BELLART gives interior designers a true freedom.


The BELLART suspended is ideal as a contemporary accent lighting across many commercial applications. Use it in small meeting pods, above a reception desk, in hotel and retail environment.

PRODUCT CODE

BELLART SUSPENDED

L (mm)	Bellart Suspended Ø120		
180mm	LED	12.5W / 1500 lm	33-EZ*-F1-120x180-***-*-0-*
	LED	17.5W / 2000 lm	33-EZ*-F2-120x180-***-*-0-*
350mm	LED	12.5W / 1500 lm	33-EZ*-F1-120x350-***-*-0-*
	LED	17.5W / 2000 lm	33-EZ*-F2-120x350-***-*-0-*
	LED	33W / 4000 lm	33-EZ*-F4-120x350-***-*-0-*
500mm	LED	12.5W / 1500 lm	33-EZ*-F1-120x500-***-*-0-*
	LED	17.5W / 2000 lm	33-EZ*-F2-120x500-***-*-0-*
	LED	33W / 4000 lm	33-EZ*-F4-120x500-***-*-0-*
	LED	37W / 5000 lm	33-EZ*-F5-120x500-***-*-0-*

* Luminous Flux taken with 4000K



BEAM ANGLE

15°	33-EZ1-F*-120x**-*0-*
36°	33-EZ3-F*-120x**-*0-*
60°	33-EZ6-F*-120x**-*0-*

CRI

90	33-EZ*-F*-120x**-*9**-*0-*
80	33-EZ*-F*-120x**-*8**-*0-*

COLOUR TEMPERATURE

3000K	33-EZ*-F*-120x**-*30**-*0-*
4000K	33-EZ*-F*-120x**-*40**-*0-*

*2700K on request

CONTROL

NON DIM	33-EZ*-F*-120x**-*K-0-*
E. CUT DIM	33-EZ*-F*-120x**-*P-0-*
DALI DIM	33-EZ*-F*-120x**-*J-0-*

FINISH

WHITE	33-EZ*-F*-120x**-*0-C
BLACK	33-EZ*-F*-120x**-*0-D
COPPER	33-EZ*-F*-120x**-*0-H
GRAPHITE	33-EZ*-F*-120x**-*0-G
GOLD	33-EZ*-F*-120x**-*0-F
GREY	33-EZ*-F*-120x**-*0-B

* Front ring is supplied in black for the following: Copper, Gold and Graphite

ACCESSORY

Honeycomb Module	
LED	6 / 9W
	33-C5F3

* Optical Filters available | Suspension cable colours on request

