



Dew Vertical 992mm

Yonoh

Pendant Dew Vertical 992mm LED 13 LED warm-white 2700K DALI Black 782lm

Technical features

Luminaire total power: 13W
Real lumens: 782
Real lm/W: 60
Correlated Colour Temperature (CCT): LED warm-white 2700K
UGR: <=19
Structure material: Aluminium
Structure finish: Black
Diffuser material: Polycarbonate
Diffuser finish: Opal white
Driver Brand: MEAN WELL
Voltage / frequency: 220-240V/50-60Hz
Dimming protocol: DALI
Power Factor: 0.94
THD%: 20
Useful life: 50,000h L80B20
Warranty: 5 años



Luminotechnic features

Luminance C0°G65°: 2359
Luminance C90°G65°: 2320
CRI: 90
MacAdam steps: 3
Photobiological risk: RG1

UGR		Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
S=0.250					
Ceiling / cavity	0.7	LED	1	10.5W	LED warm-white 2700K
Walls	0.5				
Working Plane	0.2				
Room dimensions	X=4H, Y=8H				
UGR crosswise	17.9				
UGR lengthwise	17.8				

Net weight (kg): 1.1
Packaged weight (kg): 2.57
Packaging: 225mm x 100mm x 1235mm




Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Dew Vertical 1700mm

Yonoh

Pendant Dew Vertical 1700mm LED 21.1 LED warm-white 2700K DALI Black 1383lm

Technical features

Luminaire total power: 21.1W
Real lumens: 1383
Real lm/W: 66
Correlated Colour Temperature (CCT): LED warm-white 2700K
UGR: <=19
Structure material: Aluminium
Structure finish: Black
Diffuser material: Polycarbonate
Diffuser finish: Opal white
Driver Brand: MEAN WELL
Voltage / frequency: 220-240V/50-60Hz
Dimming protocol: DALI
Power Factor: 0.94
THD%: 20
Useful life: 50,000h L80B20
Warranty: 5 años



Luminotechnic features

Luminance C0°G65°: 2046
Luminance C90°G65°: 1980
CRI: 90
MacAdam steps: 3
Photobiological risk: RG1

UGR		Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
S=0.250					
Ceiling / cavity	0.7	LED	1	17.5W	LED warm-white 2700K
Walls	0.5				
Working Plane	0.2				
Room dimensions	X=4H, Y=8H				
UGR crosswise	17.5				
UGR lengthwise	17.3				

Net weight (kg): 1.38
Packaged weight (kg): 3.65
Packaging: 260mm x 90mm x 1940mm




Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Dew Horizontal 995mm

Yonoh

Pendant Dew Horizontal 995mm LED 13 LED warm-white 2700K DALI Black 782lm

Technical features

Luminaire total power: 13W
Real lumens: 782
Real lm/W: 60
Correlated Colour Temperature (CCT): LED warm-white 2700K
UGR: ≤ 19
Structure material: Aluminium
Structure finish: Black
Diffuser material: Polycarbonate
Diffuser finish: Opal white
Driver Brand: MEAN WELL
Voltage / frequency: 220-240V/50-60Hz
Dimming protocol: DALI
Power Factor: 0.94
THD%: 20
Useful life: 50,000h L80B20
Warranty: 5 años



Luminotechnic features

Luminance C0°G65°: 2359
Luminance C90°G65°: 2320
CRI: 90
MacAdam steps: 3
Photobiological risk: RG1

UGR		Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
S=0.250					
Ceiling / cavity	0.7	LED	1	10.5W	LED warm-white 2700K
Walls	0.5				
Working Plane	0.2				
Room dimensions	X=4H, Y=8H				
UGR crosswise	17.9				
UGR lengthwise	17.8				

Net weight (kg): 1.11

Packaged weight (kg): 2.66

Packaging: 225mm x 100mm x 1235mm





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.