



Play Snoot Round Adjustable

LedsC4 Team

Downlight Play Snoot Round Adjustable 14.3 LED neutral-white 4000K CRI 90 34.5° ON-OFF Black IP54 1300lm

Technical features

Luminaire total power: 14.3W
 Real lumens: 1300
 Real lm/W: 91
 Correlated Colour Temperature (CCT): LED neutral-white 4000K
 Lens / reflector angle: MEDIUM 35°
 UGR: <=19
 Structure material: Aluminium
 Structure finish: Black
 Diffuser material: Methacrylate
 Diffuser finish: Transparent
 Driver Brand: VOSSLOH-SCHWABE
 Voltage / frequency: 100-240V/50-60Hz
 Dimming protocol: ON-OFF
 Power Factor: 0.88
 Useful life: 50,000h L80B20
 Warranty: 5 años



Luminotechnic features

CRI: 90
 MacAdam steps: 2
 Photobiological risk: RG2

UGR		Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
S=0.250					
Ceiling / cavity	0.7	LED	1	11.9W	LED neutral-white 4000K
Walls	0.5				
Working Plane	0.2				
Room dimensions	X=4H, Y=8H				
UGR crosswise	16.1				
UGR lengthwise	16.1				







Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.




Play Snoot Round Adjustable Trimless

LedsC4 Team

Downlight Play Snoot Round Adjustable Trimless 14.3 LED neutral-white 4000K CRI 90 34.5° ON-OFF Black IP54 1300lm

Technical features

- Luminaire total power: 14.3W
- Real lumens: 1300
- Real lm/W: 91
- Correlated Colour Temperature (CCT): LED neutral-white 4000K
- Lens / reflector angle: MEDIUM 35°
- UGR: <=19
- Structure material: Aluminium
- Structure finish: Black
- Diffuser material: Methacrylate
- Diffuser finish: Transparent
- Driver Brand: VOSSLOH-SCHWABE
- Voltage / frequency: 100-240V/50-60Hz
- Dimming protocol: ON-OFF
- Power Factor: 0.88
- Useful life: 50,000h L80B20
- Warranty: 5 años



Luminotechnic features

- CRI: 90
- MacAdam steps: 2
- Photobiological risk: RG2

UGR		Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
S=0.250					
Ceiling / cavity	0.7	LED	1	11.9W	LED neutral-white 4000K
Walls	0.5				
Working Plane	0.2				
Room dimensions	X=4H, Y=8H				
UGR crosswise	16.1				
UGR lengthwise	16.1				





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Play Snoot Round Adjustable Trimless

LedsC4 Team

Downlight Play Snoot Round Adjustable Trimless 14.3 LED neutral-white 4000K CRI 90 34.5° ON-OFF Black IP54 1300lm

Optional accessories



71-4754-14-00

White visual comfort


Structure material: Polycarbonate
Dimensions: 52 x NA x 27
Net weight (kg): 0.01



71-4754-60-00

Black visual comfort


Structure material: ABS
Dimensions: 52 x NA x 26
Net weight (kg): 0.01



71-5167-00-00

5 x Elliptical diffuser

Structure material: Polycarbonate
Dimensions: NA x NA x NA
Net weight (kg): 0.01



71-5658-00-00

5 x Square diffuser

Structure material: Polycarbonate
Dimensions: 47 x NA x 2
Net weight (kg): 0.08




71-5166-60-00

5 x Honeycomb panel

Structure material: Aluminium
Dimensions: NA x NA x NA
Net weight (kg): 0.01

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

Optional accessories




71-6099-00-00

5 x Halo diffuser

Structure material: Methacrylate

Dimensions: 47 x NA x 2

Net weight (kg): 0.01



71-7895-60-00

5 x Screen

Structure material: Steel

Dimensions: 46 x NA x 2

Net weight (kg): 0.09

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.